

Test Report

號碼(No.): EKR25800345 日期(Date): 20-Aug-2025

頁數(Page): 1 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) 字長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

樣品名稱(Sample Name) : ELECTRODEPOSITED COPPER FOIL 電解銅箔

樣品型號(Style/Item No.) : PK-HTE-LP3/ PK-HTE-RTF/ BR-HTE-2RT/ BR-HTE-3RT/ BR-HTE-4RT/

BR-HTE-5RT/ BR-HTE-6RT/ BR-DSS-LLX/ BR-DSS-2LX/ BR-DSS-3LX/

BR-DSS-4LX/ BR-DSS-5LX/ BR-DSS-6LX/ BR-HTE-TAX

收件日(Sample Receiving Date) : 07-Aug-2025

測試期間(Testing Period) : 07-Aug-2025 to 18-Aug-2025

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。 (Testing item(s) is/are

specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

報告簽署人/張伯睿 博士/部 图理**SGS** Ray Chang, Ph.D./ Department Manager Signed for and on behali SGS TAIWAN LTD. 化學實驗室-高雄/Chemical Laboratory-Kaohsiung



PIN CODE: 9E43F437

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot experience and this document and this document and this document period on the company. The company is a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): EKR25800345 日期(Date): 20-Aug-2025 頁數(Page): 2 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

測試部位敘述 (Test Part Description)

No.1 : 銅色銅箔 (COPPER COLORED FOIL)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
六溴環十二烷及所有主要被辨別出的異構物 (HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.
中鏈氯化石蠟(C14-C17) (MCCP) (Medium Chain Chlorinated Paraffins(C14-C17) (MCCP)) (CAS No.: 85535-85-9)	參考US EPA 3550C: 2007·以氣相層析儀/電子補捉偵測器分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/ECD.)	mg/kg	100	n.d.
砷 (As) (Arsenic (As)) (CAS No.: 7440-38-2)	參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
二甲苯麝香 (Musk xylene) (CAS No.: 81-15-2)	參考US EPA 3550C: 2007·以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	10	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

高雄市楠梓區開發路 61 號 t+886 (07)3012121 f+886 (07) 3010867 No.61, Kai-Fa Road, Nanzih Dist., Kaohsiung, Taiwan



Test Report

號碼(No.): EKR25800345 日期(Date): 20-Aug-2025

頁數(Page): 3 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
全氟辛酸及其鹽類 (PFOA and its salts)	參考CEN/TS 15968: 2010,以液相層析串聯	mg/kg	0.01	n.d.
(Perfluorooctanoic acid and its salts	質譜儀分析。(With reference to CEN/TS			
(PFOA and its salts)) (CAS No.: 335-67-1	15968: 2010, analysis was performed by			
and its salts)	LC/MS/MS.)			
雙酚A (Bisphenol A) (CAS No.: 80-05-7)	参考RSTS-CHEM-239-1,以液相層析串聯質	mg/kg	1	n.d.
	譜儀分析。(With reference to RSTS-CHEM-			
	239-1, analysis was performed by			
	LC/MS/MS.)			
五氯酚及其鹽類 (Pentachlorophenol	參考US EPA 8041A: 2007 · 以氣相層析儀/質	mg/kg	1	n.d.
and its salts) (CAS No.: 87-86-5 and its	譜儀分析。(With reference to US EPA			
salts)	8041A: 2007, analysis was performed by			
	GC/MS.)			
三氯沙 (Triclosan) (CAS No.: 3380-34-5)	參考US EPA 3550C: 2007·以氣相層析儀/質	mg/kg	5	n.d.
	譜儀分析。(With reference to US EPA			
	3550C: 2007, analysis was performed by			
	GC/MS.)			

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL



Test Report

號碼(No.): EKR25800345 日期(Date): 20-Aug-2025

頁數(Page): 4 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。) (The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na)	335-95-5
	Sodium perfluorooctanoate (PFOA-Na)	
	全氟辛酸鉀 (PFOA-K)	2395-00-8
	Potassium perfluorooctanoate (PFOA-K)	
	全氟辛酸銀 (PFOA-Ag)	335-93-3
	Silver perfluorooctanote (PFOA-Ag)	
	全氟辛氟 (PFOA-F)	335-66-0
	Perfluorooctanoyl fluoride (PFOA-F)	
	全氟辛酸銨 (APFO)	3825-26-1
PFOA, 及其鹽&衍生物	Ammonium pentadecafluorooctanoate (APFO)	
(PFOA, its salts & derivatives)	全氟辛酸鋰 (PFOA-Li)	17125-58-5
	Lithium perfluorooctanoate (PFOA-Li)	
	全氟辛酸鈷 (PFOA-Co)	35965-01-6
	Cobalt perfluorooctanoate (PFOA-Co)	
	全氟辛酸銫 (PFOA-Cs)	17125-60-9
	Cesium perfluorooctanoate (PFOA-Cs)	
	全氟辛酸鉻 (PFOA-Cr(3+))	68141-02-6
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-,	
	chromium(3+) (PFOA-Cr(3 ⁺))	
	全氟辛酸-哌嗪(2:1) PFOA-NH(C ₄ H ₁₀ N)	423-52-9
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-	
	$NH(C_4H_{10}N)$	



Test Report

號碼(No.): EKR25800345

日期(Date): 20-Aug-2025

頁數(Page): 5 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸・2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽·水合物 (1:1:2) (PFOA-K(H ₂ O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H ₂ O) ₂)	98065-31-7
	辛酸·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-·化合物。與乙胺 (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA- C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- C_5H_5N)	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺·N,N,N-三甲基-·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) (PFOA- C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N)	927835-01-6
	全氟辛醯氯 (PFOA-CI) Pentadecafluorooctanoyl chloride (PFOA-CI)	335-64-8



Test Report

號碼(No.): EKR25800345


日期(Date): 20-Aug-2025

頁數(Page): 6 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report

號碼(No.): EKR25800345


日期(Date): 20-Aug-2025

頁數(Page): 7 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

氯化石蠟分析流程圖 / Analytical flow chart - Chlorinated Paraffins





Test Report

號碼(No.): EKR25800345

日期(Date): 20-Aug-2025

頁數(Page): 8 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)


高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.



Test Report

號碼(No.): EKR25800345


日期(Date): 20-Aug-2025

頁數(Page): 9 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): EKR25800345


日期(Date): 20-Aug-2025

頁數(Page): 10 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

雙酚A分析流程圖 / Bisphenol A analytical flow chart





Test Report

號碼(No.): EKR25800345

日期(Date): 20-Aug-2025

頁數(Page): 11 of 11

李長榮科技股份有限公司 (LCY TECHNOLOGY CORP.)

高雄市小港區中林路3-1號 (NO.3-1, JHONGLIN RD., SIAOGANG DISTRICT, KAOHSIUNG CITY 812, TAIWAN (R.O.C.))

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR25800345



** 報告結尾 (End of Report) **